Total 200	02 Populat	ion	76,760	Community Opt:					Per 10,000
Populat:	ion per sq	uaro milo	130	!	•		Staffing - FTE	Numbor	Populatio
County	ranking i	n ctato (	1 70\ 17	COP MA Waiver *	Clionto	Cocto	Total staff	Nullibel	roputatio
Country	ranking i	ii State (	1-72) 17	COB	OTTELLES	00515 \$265 410	Total staff Administrative Professional st Technical/Parap Support staff	52	0.7
A	F1-	M-1-	T-4-1	LOP Water t	10	\$205,419	Administrative	2	0.0
Age	Female	Male	Total	MA Waiver * CIP1A CIP1B CIP2 COP-W CSLA Brain Injury Total COP/Wvrs		4555 000	Professional st	att 1/	2.0
	7,300	7,630	14,920	CIP1A	11	\$555,088	Technical/Parap	rot. 4	0.5
15-19	3,180	3,130	6,310	CIP1B	248	\$4,182,944	Support staff	6	0.7
20-24	2,690	2,760	5,450	CIP2	108	\$1,224,772			
25-29	2,270	2,400	4,660	COP-W	70	\$771,780	Funding Total Local Taxes		Per capit
30-34	2,570	2,660	5,230	CSLA	18	\$95,229	Total	\$1,379,787	\$16.11
35-39	2,980	3,020	6,010	Brain Injury	11	\$494,238	Local Taxes	\$717.599	\$8.38
40-44	3,200	3,210	6,410	Total COP/Wyrs	3 476	\$7.589.471		. ,	·
45-54	5,500	5,580	11,080			<i>+.</i> ,	LICENSE	D ESTABLISHME	NTS
55-64	3,670	3,590	7,250	\$331 000 01	the above	waiver costs		D LOTABLIONNE	
65 - 74	2,540	2,190	4,730	were paid as			Type	Canacity	Facilitio
75-84	1,960	1,410	3,370	using COP fur	nde Thie	omount ic	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	Oapacity 45	12011111
85+	1,900		1 200	not included	in chara C	AIIIUUITE 15	Compo	711	10
	940	390	1,320	l not incinded	Til above Co	JP COSIS.	Camps	711	13
Total	38,790	37,970	76,760				Hoteis' Moteis	//1	24
_				* Waiver cost	is reported	nere	Tourist Rooming	1/	/
Age	Female	Male	Total	include fede	eral fundin	g.	POOLS		40
0-17	9,190	9,470	18,650				Restaurants		245
18-44	15,000	15,340	30,340		Clients	Costs	Vending		4
45-64	9,170 5.440	9,170	18,330	Eligible and					
65+	5,440	9,170 3,990	9,420	Eligible and Waiting	25	n/a	İ		
Total	38,790		76,760			,	Ì		
	,	,	,	(Family Care r	not provide	d in county)	WIC	PARTICIPANTS	
Poverty F	Estimates	for 2000		(''a22')	.oc p. 01240	a in country,		.,	
ovol cy i	Fst	imate	(C.I.+/-)				1		Numbe
A11 200	200	4 200	251	Note: Eligible	and waiti	na cliente	Pregnant/Postpa	rtum	
AII age	-	7,203 5 7%	( 6%)	will be phase	od into th	o COD and MA	Infants	i Cuiii	70
Agos 0	17	1 200	( 0%)	Waivers as a		e cor and wa	Children age 1	1	99
Ages U	- 17	1,290	251 ( 6%) 126 (10%)	warvers as a	avallable.		Children, age 1	-4	99
		6.9%	(10%)				Total		2,36
	EMDL	OVACNIT		ļ			CANCED	TNOTDENCE (OC	١٥٥)
	EMPL	OYMENI		ļ., ,, ,, ,,			CANCER	INCIDENCE (20	100)
verage wa	age for jo	bs covered	d	   Home Health Aç   Patients	gencies	3	Primary Site		
y unemplo	oyment com	pensation	\$27,825	Patients		540	Breast		40
ote: base	ed on plac			Patients per	10,000 pop	. 70	Cervical		7
			Annual				Colorectal		39
abor Ford	ce Estimat	es	Average	Nursina Homes		8	Lung and Bronch	us	32
			_	Nursing Homes Licensed beds	3	826	l Prostate		58
Civilian	Labor For	ce	42.390	Occupancy rat Residents on Residents age per 1,000 po	i e	80.2%	Other sites		
Number	employed		40 302	Residents on	Dec 31	630	Total		288
Number	embroken	d	1 000	Docidonto on	DEC.OI	ດກ	locar		200
Mullipel.	unemproye	u -	1,998	nestuents age	2 02 01. 0T0	C7	Note: Totals :	for	
unemp.	royment ra	re	4./%	per 1,000 po	ppulation	37	Note: Totals sho		
				I			ı invasive c	ancers only.	

TOTAL LIVE BIRTHS		960	NATA Birth Order	Births	Percent	Marital Status		
			First	397	41	of Mother	Births	Percent
Crude Live Birth Rate	!	12.5	Second	335	35	Married	721	75
General Fertility Rat	e	56.8	Third	151	16	Not married	239	25
,			Fourth or higher		8	Unknown	0	0
_ive births with repo	rted		Unknown	0	Ö	ommown.	ŭ	J
congenital anomalies	7 204	2.4%	GIII(IIOWII	Ū	J	Education		
songenital anomalies		.0 2.40	First Prenatal			of Mother	Births	Percent
Delivery Type	Din+ho	Percent	Visit	Births	Percent	Elementary or 1		3
	DTI (112	reiteilt						
Vaginal after			1st trimester	803	84	Some high schoo	1 114	12
_previous cesarean	14	1	2nd trimester	136	14	High school	316	33
Forceps	21	_	3rd trimester	19	2	Some college	229	24
Other vaginal	684		No visits	2	<.5	College graduat		28
Primary cesarean	144	15	Unknown	0	0	Unknown	1	<.5
Repeat cesarean	97	10						
Other or unknown	0	0	Number of Prenatal	L		Smoking Status		
	•	-	Care visits	Births	Percent	of Mother	Births	Percent
Birthweight	Births	Percent	No visits	2	<.5	Smoker	173	18
<1,500 gm	12	1.3	1-4	14	1	Nonsmoker	786	82
1,500-2,499 gm	42	4.4	5-9	142	15	Unknown	1	<.5
1,500-2,499 yiii	906	94.4	10-12	511	53	Ulikilowii	1	\.5
2,500+ gm								
Unknown	0	0	13+ Unknown	291 0	30 0			
			OHRHOWH	Ū	Ū			
			Low Birthweight		Trimest	er of First Prenat		
			(under 2,500 gm)	1st Tr	imester		Other,	
Race of Mother	Births F		`Births Percent´		Percent	Births Percent		Percent
White	943	98	51 5.4	792	84	131 14	20	2
Black	2		*	*		* .	*	
Other	15	2	3 20.0	10	67	4 27	1	7
Unknown	0	0						
	_		Low Birthweight	4	Trimest	er of First Prenat		
Anna of Math		rtility	(under 2,500 gm)	1st Tr	ımester	2nd Trimester		/Unknown
nge of Mother	Births	Rate	`Births Percent´		Percent	Births Percent		Percent
<15	2		* .	*	•	* .	*	•
15-17	26	14	3 11.5	13	50	9 35	4	15
18-19	55	43	3 5.5	37	67	16 29	2	4
20-24	246	92	8 3.3	186	76	52 21	8	3
25-29	289	127	20 6.9	262	91	21 7	6	2
30-34	235	91	13 5.5	215	91	 19 8	1	
35-39	87	29	5 5.7	74	85	13 15	•	1.5
40+	20	6	2 10.0	15	75	5 25	•	•
	0		2 10.0	13	13	5 25	•	•
			_			_		_
Unknown	Ū			•	•	•	•	-

REPORTED* CASES OF SELECTED DISE	EASES	neonatal, and Perinatal and	l postneor I fetal de	natal death eath rates	per 100,000 population. n rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	e births. s plus	
Disease Nu Campylobacter Enteritis Giardiasis	umber 23 7	TOTAL DEATHS Crude Death Ra	ıte	569 741	Selected   Underlying Cause   Heart Disease (total)	Deaths 160	Rate 208
Hepatitis Type A Hepatitis Type B**	<5 5	Age	Deaths	Rate	Ischemic heart diseas Cancer (total)	se 116 138	151 180
Hepatitis NÄNB/C Legionnaire's Lyme	29 <5 6	1-4 5-14 15-19	3 1 5	:	Tracheà/Bronchus/Lung Colorectal Female Breast	13 13 7	56 .*
Measles Meningitis, Aseptic	0 <5	20-34 35-54	13 54	230	Cerebrovascular Diseas Lower Resp. Disease	se 39 16	51 •
Meningitis, Bacterial Mumps	0 0	55 - 64 65 - 74	64 93	882 1,963	Pneumonia & Influenza Accidents	28	36
Pertussis Salmonellosis Shigellosis	0 39 <5	75 - 84 85+	151 180	4,483 13,593	Motor vehicle Diabetes Infect./Parasitic Dis.	15	
Tuberculosis	<5 <5	Infant			Suicide	14	
2002 provisional data * Includes all positive HBsAg		Mortality Total Infant	5	Rate •	* Rate for female brea on female popula		based
test results		Neonatal Postneonatal Unknown	-	:	ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU		
Sexually Transmitted Disease Chlamydia Trachomatis	60	Race of Mother	-	•	Alcohol	7	
Genital Herpes Gonorrhea	12 14	White   Black	4		Other Drugs Both Mentioned	10 1	
Syphilis	0	Other Unknown	1	•	MOTOR VEHICL	E CRASHES	
IMMUNIZATIONS		Birthweight <1,500 gm	3		Note: These data are of crash, not o		
Children in Grades K-12 by Compliance Level		1,500-2,499 gm 2,500+ gm Unknown	1 1	:	Type of Motor Vehicle Crash	Persons F Injured	Persons Killed
Compliant 14,56 Non-compliant 18 Percent Compliant 98	66 8 <u>6</u>				Type of Motor Vehicle Crash Total Crashes Alcohol-Related	612 80	15
Percent Compliant 98.	. /	Perinatal Mortality Total Perinatal	Deaths 10		With Citation:   For OWI	56	-
		Neonatal Fetal	4	:	For Speeding Motorcyclist Bicyclist	29 14	2
			-	-	Pedestrian	15	Ì

1,000 Pop 2 9.0 3 3.4 5.6 8.5 2 32.0 2 1.1 7.3 6.5 7.4 7.5.8 8.7	(Days)  4.7 3.2 3.8 5.0 5.3 5.7 5.7 1.8 1.4	Average Charge \$16,160 \$14,240 \$16,312 \$17,322 \$15,875 \$15,473 \$14,945 \$5,263 \$4,855 \$10,882 \$11,718	Charge Per Capita \$146 \$48 \$92 \$147 \$508 \$17 \$109 \$4 \$5 \$71 \$65 \$76 \$58	DISEASE / AGE GROUP  Alcohol-Relate Total 18-44 45-64 Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44 45-64	ed 140 89 42 Influenza 261 35 48 136 ar Disease 191 39	1,000 Pop 1.8 2.9 2.3 3.4 1.9 2.6 14.4 2.5 2.1 15.2	3.6 4.5 2.8 4.7 5.1 4.9 6.2 4.7 Disease 3.5	Average Charge \$3,505 \$2,863 \$4,170 \$9,337 \$5,458 \$10,477 \$10,194 \$14,308 \$22,497	Charge Per Capita \$6 \$8 \$10 \$27 \$147 \$36 \$48 \$182 \$12
Pop  2 9.0 3 3.4 1 5.6 8 .5 2 32.0 2 1.1 7 .3 5 0.7 2 1.1 8 6.5 7 .4 7 5.8	(Days)  4.7 3.2 3.8 5.0 5.3 5.7 5.7 1.8 1.4	\$16,160 \$14,240 \$16,312 \$17,322 \$15,875 \$15,473 \$14,945 \$5,263 \$4,855 \$10,882 \$11,718 \$10,255	\$146 \$48 \$92 \$147 \$508 \$17 \$109 \$4 \$5	AGE GROUP  Alcohol-Relate Total 18-44 45-64 Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44	ed 140 89 42 Influenza 261 35 48 136 ar Disease 191 39 143 uctive Pulm	Pop 1.8 2.9 2.3 3.4 1.9 2.6 14.4 2.5 2.1 15.2 nonary [	(Days)  2.8 2.2 3.6 4.5 2.8 4.7 5.1 4.9 6.2 4.7 Disease 3.5	\$3,505 \$2,863 \$4,170 \$9,337 \$5,458 \$10,477 \$10,194 \$14,308 \$22,497 \$12,000	\$6 \$8 \$10 \$32 \$10 \$27 \$147 \$36 \$48 \$182
3 3.4 5.6 8.5 2 32.0 2 1.1 7.3 5 0.7 2 1.1 8 6.5 5 7.4 7 5.8	3.2 3.8 5.0 5.3 5.7 5.7 1.8 1.4	\$14,240 \$16,312 \$17,322 \$15,875 \$15,473 \$14,945 \$5,263 \$4,855 \$10,882 \$11,718 \$10,255	\$48 \$92 \$147 \$508 \$17 \$109 \$4 \$5 \$71 \$65 \$76	Total 18-44 45-64 Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44	140 89 42 Influenza 261 35 48 136 ar Disease 191 39 143 uctive Pulm 134	2.9 2.3 3.4 1.9 2.6 14.4 2.5 2.1 15.2 nonary [	2.2 3.6 4.5 2.8 4.7 5.1 4.9 6.2 4.7 Disease 3.5	\$2,863 \$4,170 \$9,337 \$5,458 \$10,477 \$10,194 \$14,308 \$22,497 \$12,000	\$8 \$10 \$32 \$10 \$27 \$147 \$36 \$48 \$182
3 3.4 5.6 8.5 2 32.0 2 1.1 7.3 5 0.7 2 1.1 8 6.5 5 7.4 7 5.8	3.2 3.8 5.0 5.3 5.7 5.7 1.8 1.4	\$14,240 \$16,312 \$17,322 \$15,875 \$15,473 \$14,945 \$5,263 \$4,855 \$10,882 \$11,718 \$10,255	\$48 \$92 \$147 \$508 \$17 \$109 \$4 \$5 \$71 \$65 \$76	Total 18-44 45-64 Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44	140 89 42 Influenza 261 35 48 136 ar Disease 191 39 143 uctive Pulm 134	2.9 2.3 3.4 1.9 2.6 14.4 2.5 2.1 15.2 nonary [	2.2 3.6 4.5 2.8 4.7 5.1 4.9 6.2 4.7 Disease 3.5	\$2,863 \$4,170 \$9,337 \$5,458 \$10,477 \$10,194 \$14,308 \$22,497 \$12,000	\$8 \$10 \$32 \$10 \$27 \$147 \$36 \$48 \$182
3 3.4 5.6 8.5 2 32.0 2 1.1 7.3 5 0.7 2 1.1 8 6.5 5 7.4 7 5.8	3.2 3.8 5.0 5.3 5.7 5.7 1.8 1.4	\$14,240 \$16,312 \$17,322 \$15,875 \$15,473 \$14,945 \$5,263 \$4,855 \$10,882 \$11,718 \$10,255	\$48 \$92 \$147 \$508 \$17 \$109 \$4 \$5 \$71 \$65 \$76	18-44 45-64 Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44	89 42 Influenza 261 35 48 136 ar Disease 191 39 143 uctive Pulm 134	2.9 2.3 3.4 1.9 2.6 14.4 2.5 2.1 15.2 nonary [	2.2 3.6 4.5 2.8 4.7 5.1 4.9 6.2 4.7 Disease 3.5	\$2,863 \$4,170 \$9,337 \$5,458 \$10,477 \$10,194 \$14,308 \$22,497 \$12,000	\$8 \$10 \$32 \$10 \$27 \$147 \$36 \$48 \$182
1 5.6 8.5 2 32.0 2 1.1 7.3 5 0.7 2 1.1 8 6.5 8 5.5 7.4 7 5.8	3.8 5.0 5.3 5.7 5.7 1.8 1.4	\$16,312 \$17,322 \$15,875 \$15,473 \$14,945 \$5,263 \$4,855 \$10,882 \$11,718 \$10,255	\$92 \$147 \$508 \$17 \$109 \$4 \$5 \$71 \$65 \$76	45-64 Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44	42 Influenza 261 35 48 136 ar Disease 191 39 143 uctive Pulm 134 7	2.3 3.4 1.9 2.6 14.4 2.5 2.1 15.2 nonary [	3.6 4.5 2.8 4.7 5.1 4.9 6.2 4.7 Disease 3.5	\$4,170 \$9,337 \$5,458 \$10,477 \$10,194 \$14,308 \$22,497 \$12,000	\$10 \$32 \$10 \$27 \$147 \$36 \$48 \$182
8.5 2 32.0 2 1.1 7.3 5 0.7 2 1.1 8 6.5 8 5.5 7.4 7 5.8	5.0 5.3 5.7 5.7 1.8 1.4 10.4 9.7 10.5 9.6	\$17,322 \$15,875 \$15,473 \$14,945 \$5,263 \$4,855 \$10,882 \$11,718 \$10,255	\$147 \$508 \$17 \$109 \$4 \$5 \$71 \$65 \$76	Pneumonia and Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44	Influenza 261 35 48 136 ar Disease 191 39 143 uctive Pulm 134 7	3.4 1.9 2.6 14.4 2.5 2.1 15.2 nonary [	4.5 2.8 4.7 5.1 4.9 6.2 4.7 Disease 3.5	\$9,337 \$5,458 \$10,477 \$10,194 \$14,308 \$22,497 \$12,000	\$32 \$10 \$27 \$147 \$36 \$48 \$182
2 32.0 2 1.1 7.3 5 0.7 2 1.1 8 6.5 8 5.5 7.4 7 5.8	5.3 5.7 5.7 1.8 1.4 10.4 9.7 10.5 9.6	\$15,875 \$15,473 \$14,945 \$5,263 \$4,855 \$10,882 \$11,718 \$10,255	\$508 \$17 \$109 \$4 \$5 \$71 \$65 \$76	Total <18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44	261 35 48 136 ar Disease 191 39 143 uctive Pulm 134	1.9 2.6 14.4 2.5 2.1 15.2 nonary [	2.8 4.7 5.1 4.9 6.2 4.7 Disease 3.5	\$5,458 \$10,477 \$10,194 \$14,308 \$22,497 \$12,000	\$10 \$27 \$147 \$36 \$48 \$182
1.1 7.3 5.0.7 2.1.1 8.6.5 8.5.5 7.4 7.5.8	5.7 5.7 1.8 1.4 10.4 9.7 10.5 9.6	\$15,473 \$14,945 \$5,263 \$4,855 \$10,882 \$11,718 \$10,255	\$17 \$109 \$4 \$5 \$71 \$65 \$76	<18 45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44	35 48 136 ar Disease 191 39 143 uctive Pulm 134	1.9 2.6 14.4 2.5 2.1 15.2 nonary [	2.8 4.7 5.1 4.9 6.2 4.7 Disease 3.5	\$5,458 \$10,477 \$10,194 \$14,308 \$22,497 \$12,000	\$10 \$27 \$147 \$36 \$48 \$182
2 1.1 7.3 5 0.7 2 1.1 8 6.5 8 5.5 7.4 7 5.8	5.7 1.8 1.4 10.4 9.7 10.5 9.6	\$14,945 \$5,263 \$4,855 \$10,882 \$11,718 \$10,255	\$109 \$4 \$5 \$71 \$65 \$76	45-64 65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44	48 136 ar Disease 191 39 143 uctive Pulm 134 7	2.6 14.4 2.5 2.1 15.2 nonary [	4.7 5.1 4.9 6.2 4.7 Disease 3.5	\$10,477 \$10,194 \$14,308 \$22,497 \$12,000	\$27 \$147 \$36 \$48 \$182
7.3 5 0.7 2 1.1 8 6.5 3 5.5 7.4 7 5.8	5.7 1.8 1.4 10.4 9.7 10.5 9.6	\$14,945 \$5,263 \$4,855 \$10,882 \$11,718 \$10,255	\$109 \$4 \$5 \$71 \$65 \$76	65+ Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44	136 ar Disease 191 39 143 uctive Pulm 134 7	14.4 2.5 2.1 15.2 nonary [ 1.7	5.1 4.9 6.2 4.7 Disease 3.5	\$10,194 \$14,308 \$22,497 \$12,000	\$147 \$36 \$48 \$182
5 0.7 2 1.1 3 6.5 3 5.5 5 7.4 7 5.8	1.8 1.4 10.4 9.7 10.5 9.6	\$5,263 \$4,855 \$10,882 \$11,718 \$10,255	\$4 \$5 \$71 \$65 \$76	Cerebrovascula Total 45-64 65+ Chronic Obstru Total <18 18-44	ar Disease 191 39 143 uctive Pulm 134 7	2.5 2.1 15.2 nonary [ 1.7	4.9 6.2 4.7 Disease 3.5	\$14,308 \$22,497 \$12,000	\$36 \$48 \$182
2 1.1 3 6.5 3 5.5 5 7.4 7 5.8	1.4 10.4 9.7 10.5 9.6	\$4,855 \$10,882 \$11,718 \$10,255	\$5 \$71 \$65 \$76	Total 45-64 65+ Chronic Obstru Total <18 18-44	191 39 143 uctive Pulm 134 7	2.1 15.2 nonary [ 1.7	6.2 4.7 Disease 3.5	\$22,497 \$12,000	\$48 \$182
2 1.1 3 6.5 3 5.5 5 7.4 7 5.8	1.4 10.4 9.7 10.5 9.6	\$4,855 \$10,882 \$11,718 \$10,255	\$5 \$71 \$65 \$76	45-64 65+ Chronic Obstru Total <18 18-44	39 143 uctive Pulm 134 7	2.1 15.2 nonary [ 1.7	6.2 4.7 Disease 3.5	\$22,497 \$12,000	\$48 \$182
6.5 3 5.5 5 7.4 7 5.8	10.4 9.7 10.5 9.6	\$10,882 \$11,718 \$10,255	\$71 \$65 \$76	65+ Chronic Obstru Total <18 18-44	143 uctive Pulm 134 7	15.2 nonary [ 1.7	4.7 Disease 3.5	\$12,000	\$182
5.5 5 7.4 7 5.8	9.7 10.5 9.6	\$11,718 \$10,255	\$65 \$76	Chronic Obstru Total <18 18-44	uctive Pulm 134 7	onary [ 1.7	Disease 3.5	•	
5.5 5 7.4 7 5.8	9.7 10.5 9.6	\$11,718 \$10,255	\$65 \$76	Total <18 18-44	134 7	1.7	3.5	\$7,015	\$12
5.5 5 7.4 7 5.8	9.7 10.5 9.6	\$11,718 \$10,255	\$65 \$76	<18 18-44	7			Ψί, ΟΙΟ	Ψ12
5 7.4 7 5.8	10.5 9.6	\$10,255	\$76	18-44				•	
7 5.8	9.6	\$9.949			IX		•	•	•
				1 //5-6/1	30	1.6	3.5	\$7,340	\$12
0.7	コント	\$13,337	\$89	65+	79	8.4		\$7,810	\$65
	12.0	φ10,007	φοσ	Drug-Related	19	0.4	5.6	Ψ1,010	φυσ
Э				Total	28	0.4	4.9	\$6,147	\$2
7.0	3.6	\$20,903	\$147	18-44	15			ΨΟ, 147	
11.5		\$20,504	\$258	10-44	13	•	•	•	•
1 31.9			\$650	Total Hospital	lizatione				
31.9	4.0	φ20,000	φυσυ	Total		111.8	3.0	\$10,647	\$1,190
Cancers)	• Δ11			<18	1,421	76.2	3.2	\$5,259	\$401
3.8		\$15,403	\$58	18-44	2,274	75.0	3.4	\$8,356	\$626
5 .	5.1	φ13,403	φυσ	45-64	1,842	100.4		\$13,616	\$1,368
1 6.6	1.7	\$17,039	\$112	65+	3,045	322.9	4.7	\$13,077	\$4,223
15.8		\$13,439	\$212	051	0,040	022.9	4.7	Ψ10,011	Ψ+,220
					DEVENTARIE	HUSDII	ΓΔΙ ΤΖΔΤΤ	ONS*	
		\$8 186					3 7		\$102
	1.7	ψυ, 100	Ψ1						\$24
	7 1	\$17 /63	<b>¢11</b>					\$6 7/1	\$24 \$28
		\$17,403 \$17,106						\$8,603	∌∠о \$96
. 3.4	/ . /	ψ11,190	ψυσ						\$506
3 0.4	5.5	\$18,621	\$7	05+	337	50.9	4.5	φο,000	φ500
		-		* Woonitolization	ne for cond	litiono	whose +	imoly and	offooti
	1 0	¢10 534	۵2	HOSPITATIZACION	ia iui uullu	+ho 1+1.	wiielie l	THISTY AND	+01170+10
, ,, ,,	4.8 5 4			ambutatory care (	Jan reduce	riie IIk	/6TT11000	or nosbr	rall/arlo
) 0.3	5.4	φιι, σοσ	φ3/						
1 6 2	1 0.8 tal 8 0.6 2 3.4 8 0.4 6 0.9	reast (rates for 1 0.8 1.7 tal 8 0.6 7.1 2 3.4 7.7 8 0.4 5.5 6 0.9 4.8	reast (rates for female points of the points	reast (rates for female population) 1  0.8  1.7  \$8,186  \$7 tal 8  0.6  7.1  \$17,463  \$11 2  3.4  7.7  \$17,196  \$58 8  0.4  5.5  \$18,621  \$7 6  0.9  4.8  \$10,534  \$9	reast (rates for female population) 1  0.8  1.7  \$8,186  \$7	reast (rates for female population) 1  0.8  1.7  \$8,186  \$7 tal 8  0.6  7.1  \$17,463  \$11 2  3.4  7.7  \$17,196  \$58 8  0.4  5.5  \$18,621  \$7  * Hospitalizations for concambulatory care can reduce	reast (rates for female population) 1  0.8  1.7  \$8,186  \$7 tal 8  0.6  7.1  \$17,463  \$11 2  3.4  7.7  \$17,196  \$58 8  0.4  5.5  \$18,621  \$7  * Hospitalizations for conditions ambulatory care can reduce the like terms of the state of the s	reast (rates for female population) 1  0.8  1.7  \$8,186  \$7 tal 8  0.6  7.1  \$17,463  \$11 2  3.4  7.7  \$17,196  \$58 8  0.4  5.5  \$18,621  \$7  * Hospitalizations for conditions where tambulatory care can reduce the likelihood	reast (rates for female population) 1  0.8  1.7  \$8,186  \$7 tal 8  0.6  7.1  \$17,463  \$11 2  3.4  7.7  \$17,196  \$58 8  0.4  5.5  \$18,621  \$7  * Hospitalizations for conditions where timely and ambulatory care can reduce the likelihood of hospi